

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72	Краснодар (861)203-40-90	Санкт-Петербург (812)309-46-40
Астана (7172)727-132	Красноярск (391)204-63-61	Саратов (845)249-38-78
Астрахань (8512)99-46-04	Курск (4712)77-13-04	Севастополь (8692)22-31-93
Барнаул (3852)73-04-60	Липецк (4742)52-20-81	Симферополь (3652)67-13-56
Белгород (4722)40-23-64	Магнитогорск (3519)55-03-13	Смоленск (4812)29-41-54
Брянск (4832)59-03-52	Москва (495)268-04-70	Сочи (862)225-72-31
Владивосток (423)249-28-31	Мурманск (8152)59-64-93	Ставрополь (8652)20-65-13
Волгоград (844)278-03-48	Набережные Челны (8552)20-53-41	Сургут (3462)77-98-35
Вологда (8172)26-41-59	Нижний Новгород (831)429-08-12	Тверь (4822)63-31-35
Воронеж (473)204-51-73	Новокузнецк (3843)20-46-81	Томск (3822)98-41-53
Екатеринбург (343)384-55-89	Новосибирск (383)227-86-73	Тула (4872)74-02-29
Иваново (4932)77-34-06	Омск (3812)21-46-40	Тюмень (3452)66-21-18
Ижевск (3412)26-03-58	Орел (4862)44-53-42	Ульяновск (8422)24-23-59
Казань (843)206-01-48	Оренбург (3532)37-68-04	Уфа (347)229-48-12
Калининград (4012)72-03-81	Пенза (8412)22-31-16	Хабаровск (4212)92-98-04
Калуга (4842)92-23-67	Пермь (342)205-81-47	Челябинск (351)202-03-61
Кемерово (3842)65-04-62	Ростов-на-Дону (863)308-18-15	Череповец (8202)49-02-64
Киров (8332)68-02-04	Рязань (4912)46-61-64	Ярославль (4852)69-52-93
	Самара (846)206-03-16	

Единый адрес: szu@nt-rt.ru Веб-сайт: www.sulzer.nt-rt.ru

Статические смесители CompaX SULZER. Техническое описание

The Sulzer CompaX static mixer is your most efficient and economic choice for admixing additives in the turbulent flow regime. Thanks to its low pressure drop, it significantly saves you pump energy, therefore offering both economical and ecological benefits.



Key characteristics

The Sulzer CompaX static mixer consists of a highly efficient mixing device with an integrated dosing point. The additive is fed into the zone where there is a strong turbulent flow. Fluids, additives, and gases are reliably and effectively mixed over a very short distance.

Additive dosing

For larger pipe diameters, you can admix up to 6 additives using only one mixing element.

Pressure drop

The pressure drop of a Sulzer CompaX mixer is approx. 8 times lower compared to orifice-type static mixers. For low-viscous fluids, it is typically 10 – 100 mbar. This results in significant savings on pump energy, which pays off economically as well as ecologically. You will not experience any clogging problems with this mixer thanks to the open-wing geometry and the additive dosing location.

Customer benefits

- Efficient mixing ($CoV \leq 0.05$)

- Lowest possible pressure drop
- Short installation length: only approx. 0.3 pipe diameters
- Optimized dosing point for additive mixing, no injection lances required
- No clogging
- Robust construction
- Low installation cost, easy to fit
- Excellent price/performance ratio

Applications

The Sulzer CompaX static mixer can deal with mixing ratios from 1:5 up to more than 1:10 000. Typical applications can be found in the chemical industry as well as in water or wastewater treatment. In this industry, the CompaX mixer can be used, for example, to admix flocculation agents or for pH adjustment.

Sulzer static mixer type CompaX in FRP for seawater desalination

Technical specification

Diameter	from 25 mm - 2000 mm / 1" - 80"
Standard material	316 stainless steel, 316/316 L stainless steel Polypropylene (PP) 250 - 2000 mm / 10" - 80" Fiber-Reinforced Plastic (FRP)
Special materials	PVC, PTFE, SS-ETFE coated, available upon request

The mixer is installed in the pipe, mounted between two flanges (DIN 2633 or ANSI B16.5).

Technical specification static mixer type SMI

Diameter from 25 mm - 250 mm

Special executions in other materials, or for installation in rectangular or square conduits are available on request.

Technical specification static mixer type KVM

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72	Краснодар (861)203-40-90	Санкт-Петербург (812)309-46-40
Астана (7172)727-132	Красноярск (391)204-63-61	Саратов (845)249-38-78
Астрахань (8512)99-46-04	Курск (4712)77-13-04	Севастополь (8692)22-31-93
Барнаул (3852)73-04-60	Липецк (4742)52-20-81	Симферополь (3652)67-13-56
Белгород (4722)40-23-64	Магнитогорск (3519)55-03-13	Смоленск (4812)29-41-54
Брянск (4832)59-03-52	Москва (495)268-04-70	Сочи (862)225-72-31
Владивосток (423)249-28-31	Мурманск (8152)59-64-93	Ставрополь (8652)20-65-13
Волгоград (844)278-03-48	Набережные Челны (8552)20-53-41	Сургут (3462)77-98-35
Вологда (8172)26-41-59	Нижний Новгород (831)429-08-12	Тверь (4822)63-31-35
Воронеж (473)204-51-73	Новокузнецк (3843)20-46-81	Томск (3822)98-41-53
Екатеринбург (343)384-55-89	Новосибирск (383)227-86-73	Тула (4872)74-02-29
Иваново (4932)77-34-06	Омск (3812)21-46-40	Тюмень (3452)66-21-18
Ижевск (3412)26-03-58	Орел (4862)44-53-42	Ульяновск (8422)24-23-59
Казань (843)206-01-48	Оренбург (3532)37-68-04	Уфа (347)229-48-12
Калининград (4012)72-03-81	Пенза (8412)22-31-16	Хабаровск (4212)92-98-04
Калуга (4842)92-23-67	Пермь (342)205-81-47	Челябинск (351)202-03-61
Кемерово (3842)65-04-62	Ростов-на-Дону (863)308-18-15	Череповец (8202)49-02-64
Киров (8332)68-02-04	Рязань (4912)46-61-64	Ярославль (4852)69-52-93
	Самара (846)206-03-16	

Единый адрес: szu@nt-rt.ru **Веб-сайт:** www.sulzer.nt-rt.ru